## Food and Drug Administration, HHS

manufacturing practice. The affirmation of this ingredient as generally recognized as safe (GRAS) as a direct human food ingredient is based upon the following current good manufacturing practice conditions of use:

- (1) The ingredient is used as a catalyst as defined in §170.3(o)(24) of this chapter.
- (2) The ingredient is used in the hydrogenation of fats and oils as defined in §170.3(n)(12) of this chapter at levels not to exceed current good manufacturing practice. Current good manufacturing practice includes the removal of nickel from fats and oils following hydrogenation.
- (d) Prior sanctions for this ingredient different from the uses established in this section do not exist or have been waived.

[48 FR 51618, Nov. 10, 1983, as amended at 73 FR 8607, Feb. 14, 2008]

## § 184.1538 Nisin preparation.

(a) Nisin preparation is derived from pure culture fermentations of certain strains of Streptococcus lactis Lancefield Group N. Nisin preparation contains nisin (CAS Reg. No. 1414-45-5), a group of related peptides with antibiotic activity.

(b) The ingredient is a concentrate or dry material that meets the specifications that follow when it is tested as described in "Specifications for Identity and Purity of Some Antibiotics,' World Health Organization, FAO Nutrition Meeting Report Series, No. 45A, 1969, which is incorporated by reference. Copies are available from the Division of Dockets Management (HFA-305), Food and Drug Administration, 5630 Fishers Lane, rm. 1061, Rockville, MD 20852, or available for inspection at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or to: http://www.archives.gov/ federal register/ code of federal regulations/

ibr locations.html.

- (1) Nisin content, not less than 900 international units per milligram.
- (2) Arsenic, not more than 1 part per million.
- (3) Lead, not more than 2 parts per million.

- (4) Zinc, not more than 25 parts per million.
- (5) Copper, zinc plus copper not more than 50 parts per million.
- (6) Total plate count, not more than 10 per gram.
- (7) Escherichia coli, absent in 10 grams.
  - (8) Salmonella, absent in 10 grams.
- (9) Coagulase positive staphylococci, absent in 10 grams.
- (c) The ingredient is used as an antimicrobial agent as defined §170.3(o)(2) of this chapter to inhibit the outgrowth of Clostridium botulinum spores and toxin formation in pasteurized cheese spreads and pasteurized process cheese spreads listed in §133.175; pasteurized cheese spread with fruits, vegetables, or meats as defined in §133.176; pasteurized process cheese spread as defined in §133.179; pasteurized process cheese spread with fruits, vegetables, or meats as defined in §133.180 of this chapter.
- (d) The ingredient is used at levels not to exceed good manufacturing practice in accordance with §184.1(b)(1) of this chapter. The current good manufacturing practice level is the quantity of the ingredient that delivers a maximum of 250 parts per million of nisin in the finished product as determined by the British Standards Institution Methods, "Methods for the Estimation and Differentiation of Nisin in Processed Cheese," BS 4020 (1974), which is incorporated by reference. Copies are available from the Division of Dockets Management (HFA-305), Food and Drug Administration, rm. 1-23, 12420 Parklawn Dr., Rockville, MD 20857, or available for inspection at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://  $www.archives.gov/federal\_register/$ code of federal regulations/ ibr locations.html.

[53 FR 11250, Apr. 6, 1988, as amended at 59 FR 14364, Mar. 28, 1994; 68 FR 24879, May 9,

## § 184.1540 Nitrogen.

(a) Nitrogen (empirical formula  $N_2$ , CAS Reg. No. 7727-37-9) is a colorless,